

09/19/2000

RECEIVED

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



TECH CENTER 1600/2900



(43) International Publication Date
21 June 2001 (21.06.2001)

PCT

(10) International Publication Number
WO 01/44502 A3

(51) International Patent Classification⁷: C12Q 1/68

(21) International Application Number: PCT/EP00/12886

(22) International Filing Date:
18 December 2000 (18.12.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
99125148.9 16 December 1999 (16.12.1999) EP
60/185.670 29 February 2000 (29.02.2000) US

(71) Applicant and

(72) Inventor: GROMOLL, Jörg [DE/DE]; Ellen-Scheuner-Weg 5, 48147 Münster (DE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): SIMONI, Manuela [IT/DE]; Wermelingstrasse 43, 48147 Münster (DE). NIESCHLAG, Eberhard [DE/DE]; Gremmendorfer

Weg 91, 48167 Münster (DE). BEHRE, M., Hermann [DE/DE]; Wolbecker Strasse 100, 48155 Münster (DE). PEREZ, Maritza [CO/DE]; Institut für Reproduktionsmedizin der Westfälischen Wilhelm-Universität, Domagkstrasse 11, 48129 Münster (DE).

(74) Agents: HELBING, Jörg et al.; Von Kreisler Selting Werner, Postfach 10 22 41, 50462 Köln (DE).

(81) Designated States (national): AU, CA, JP, US.

(84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).

Published:
— with international search report

(88) Date of publication of the international search report:
14 February 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

RECEIVED

MAR 15 2002

TECH CENTER 1600/2900



WO 01/44502 A3

(54) Title: GENETIC VARIANTS OF THE HUMAN FSH RECEPTOR AND THE INFLUENCE THEREOF ON GAMETOGENESIS

(57) Abstract: The present invention provides a method for determining the dosage of FSH in the treatment of infertility of women comprising the determination of the FSH receptor variant of the woman to be treated, a method for treating infertility in women which comprises said determination of the FSH receptor variant and a kit for performing said determination of the FSH receptor variant.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 00/12886

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C12Q1/68

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, MEDLINE, BIOSIS, EMBASE, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	HEIKOOP J C ET AL: "Infertility treatment by recombinant FSH" JOURNAL OF BIOTECHNOLOGY, ELSEVIER SCIENCE PUBLISHERS, AMSTERDAM, NL, vol. 61, no. 3, 13 May 1998 (1998-05-13), pages 233-236, XP004128060 ISSN: 0168-1656	11
Y	the whole document	1-5,7,9, 10
Y	BEN-RAFAEL Z ET AL.: "Pharmacokinetics of follicle-stimulating hormone: clinical significance" FERTILITY AND STERILITY, vol. 69, no. 3Sp2, March 1998 (1998-03), pages 40S-49S, XP001023707 the whole document	1-5,7,9, 10
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

5 September 2001

Date of mailing of the international search report

12/09/2001

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Knehr, M

INTERNATIONAL SEARCH REPORT

Intern: al Application No

PCT/EP 00/12886

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>CONWAY G.S. ET AL.: "Mutation screening and isoform prevalence of the follicle stimulating hormone receptor gene in women with premature ovarian failure, resistant ovary syndrome and polycystic ovary syndrome"</p> <p>CLINICAL ENDOCRINOLOGY, vol. 51, July 1999 (1999-07), pages 97-99, XP000920627 cited in the application the whole document</p>	1-5,7,9
Y	<p>SIMONI M. ET AL.: "Mutational analysis of the follicle-stimulating hormone (FSH) receptor in normal and infertile men: identification and characterization of two discrete FSH receptor isoforms"</p> <p>JOURNAL OF CLIN. ENDOCRINOLOGY AND METABOLISM, vol. 84, no. 2, - February 1999 (1999-02) pages 751-755, XP000920695 cited in the application * see especially page 752, column 1, paragraphs 3-4 * the whole document</p>	1-5,9,10
Y	<p>WO 97 11194 A (UNIV HELSINKI LICENSING ;CHAPELLE ALBERT DE (FI); AITTOMAEKI KRIST) 27 March 1997 (1997-03-27) the whole document</p>	1-5,9,10
A	<p>JIANG M ET AL.: "The frequency of a inactivating point mutation (566C-T) of the human follicle-stimulating hormone receptor gene in four populations using allele-specific hybridization and time-resolved fluorometry"</p> <p>JOURNAL OF CLINICAL ENDOCRINOLOGY AND METABOLISM, vol. 83, no. 12, 1998, pages 4338-4343, XP001023798 the whole document</p>	
A	<p>LAYMAN L C ET AL.: "The Finnish follicle-stimulating hormone receptor gene mutation is rare in North American women with 46,XX ovarian failure"</p> <p>FERTILITY AND STERILITY, vol. 69, no. 2, 1998, pages 300-302, XP001023705 the whole document</p>	

-/--

INTERNATIONAL SEARCH REPORT

International Patent Application No.

PCT/EP 00/12886

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>GROMOLL J ET AL: "AN ACTIVATING MUTATION OF THE FOLLICLE-STIMULATING HORMONE RECEPTOR AUTONOMOUSLY SUSTAINS SPERMATOGENESIS IN A HYPOPHYSECTOMIZED MAN"</p> <p>JOURNAL OF CLINICAL ENDOCRINOLOGY AND METABOLISM, NEW YORK, NY, US, vol. 81, no. 4, 1 April 1996 (1996-04-01), pages 1367-1370, XP000609740 ISSN: 0021-972X the whole document</p> <p style="text-align: center;">---</p>	
A	<p>WO 98 34948 A (CORNELL RES FOUNDATION INC) 13 August 1998 (1998-08-13) * see especially SEQ ID NO:25 * abstract</p> <p style="text-align: center;">-----</p>	

INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern. al Application No

PCT/EP 00/12886

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9711194 A	27-03-1997	US 5851768 A AU 6990296 A	22-12-1998 09-04-1997
WO 9834948 A	13-08-1998	AU 6149898 A EP 1015478 A	26-08-1998 05-07-2000

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
21 June 2001 (21.06.2001)

PCT

(10) International Publication Number
WO 01/44502 A2

(51) International Patent Classification⁷: **C12Q 1/68**

(21) International Application Number: **PCT/EP00/12886**

(22) International Filing Date:
18 December 2000 (18.12.2000)

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:
99125148.9 16 December 1999 (16.12.1999) EP
60/185,670 29 February 2000 (29.02.2000) US

(71) Applicant and

(72) Inventor: **GROMOLL, Jörg** [DE/DE]; Ellen-Sche-
uner-Weg 5, 48147 Münster (DE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SIMONI, Manuela**
[IT/DE]; Wermelingstrasse 43, 48147 Münster (DE).

NIESCHLAG, Eberhard [DE/DE]; Gremmendorfer
Weg 91, 48167 Münster (DE). **BEHRE, M., Hermann**
[DE/DE]; Wolbecker Strasse 100, 48155 Münster (DE).
PEREZ, Maritza [CO/DE]; Institut für Reproduk-
tionsmedizin der Westfälischen Wilhelm-Universität,
Domagkstrasse 11, 48129 Münster (DE).

(74) Agents: **HELBING, Jörg** et al.: Von Kreisler Selting
Werner, Postfach 10 22 41, 50462 Köln (DE).

(81) Designated States (national): AU, CA, JP, US.

(84) Designated States (regional): European patent (AT, BE,
CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,
NL, PT, SE, TR).

Published:

— Without international search report and to be republished
upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: **GENETIC VARIANTS OF THE HUMAN FSH RECEPTOR AND THE INFLUENCE THEREOF ON GAMETOGE-
NESIS**

(57) Abstract: The present invention provides a method for determining the dosage of FSH in the treatment of infertility of women
comprising the determination of the FSH receptor variant of the woman to be treated, a method for treating infertility in women which
comprises said determination of the FSH receptor variant and a kit for performing said determination of the FSH receptor variant.

WO 01/44502 A2

**Genetic variants of the human FSH receptor and the influence thereof on
gametogenesis**

5

The present invention provides a method for determining the dosage of FSH in the treatment of infertility of women comprising the determination of the FSH receptor variant of the woman to be treated, a method for treating infertility in women which comprises said determination of the FSH receptor variant and a kit for performing
10 said determination of the FSH receptor variant.

15

The success of controlled ovulation induction in the course of an assisted reproduction procedure depends on the administration of the hormone FSH. Unfortunately neither the patients's reaction towards the administration of FSH nor which hormone
15 dose is necessary can be foreseen at the beginning of the treatment phase. Due to the lack of predictive parameters a high number of expensive ampoules of FSH is being used in IVF clinics for the induction of ovulation, a treatment regimen that bears the danger of overstimulation and its clinical consequences.

20

The follicle-stimulating hormone (FSH) is an essential factor for the maturation of germ cells (gametogenesis) in both men and women. FSH exerts its action via the FSH receptor which is specifically located in the granulosa cells in the ovary and in the Sertoli cells in the testis. Any perturbation of the interaction between FSH and its
25 receptor leads to impairment of gametogenesis. Women with FSH receptor mutations show a clinical picture typical of primary amenorrhoea, men with FSH receptor mutation are generally subfertile. These observations underline the central role of FSH and its receptor for a normal physiological maturation of oocytes as well as spermatozoa (Nieschlag et al., Clin. Endocrinol. 51:139-146 (1999)).

30

The FSH receptor is present on the cell membrane and consists of an extracellular, a transmembrane and an intracellular domain. The FSH receptor gene is located on chromosome 2p21 and consists of 10 exons. Exons 1 to 9 encode for the

extracellular domain while exon 10 encodes for the transmembrane and intracellular domain. The whole gene spans a region of over 54 kbp encoding a mature protein of 695 amino acids (Gromoll et al. Genomics 35, 308-311 (1996)).

5 Our recent studies have shown that the FSH receptor exists in two genetic variants. Amino acid position 307 is either occupied by alanine or threonine and at position 680 either serine or asparagine is found. The amino acid position 307 is located in the extracellular domain while the amino acids at position 680 are part of the intra-
cellular domain. We have shown that both positions are genetically linked with each
10 other. Due to that two discrete FSH receptor variants can be usually found consisting of either threonine 307 and asparagine 680 or alanine 307 and serine 680 (Fig. 1). Both receptor variants are statistically equally distributed. Further, Simoni et al., J. Clin. Endocrinol. Metab. 84:751-755 (1999) and Conway et al., Clinical Endocrinology, vol. 51, 97-99 (1999) describes that the FSH receptor variants can be analysed
15 by restriction enzyme analysis.

So far functional studies could not show any significant differences as to hormone binding or signal transduction between the two receptor variants. It should be noted, however, that the model system used so far for functional studies is not sensitive
20 enough to detect subtle differences in FSH-FSH receptor interaction and receptor activation. In a first clinical study comparing infertile men with fertile men no significant differences of receptor variant distribution could be detected (Simoni et al., J. Clin. Endocrinol. Metab. 84:751-755 (1999)).

25 In an additional study completed recently we have investigated normal women who were treated with FSH in the course of an assisted reproduction procedure. The administration of FSH leads to a controlled induction of ovulation which makes it possible to gain oocytes from the patient. The oocytes are then incubated with sperm in vitro and the nascent zygotes are re-implanted into the patient's uterus. The aim of
30 the FSH treatment is to gain a sufficient number of oocytes capable of being fertilized. Clinical experience shows, however, that patients react differently towards the stimulation with FSH. While some patients need relatively low doses of FSH in order

to produce a sufficient number of oocytes, other patients have to be stimulated with high doses of FSH to reach the same results in terms of a sufficient number of oocytes. Depending on the amount of FSH necessary the patients can be classified into good responders (low dose of FSH necessary) and bad responders (high dose of FSH necessary). The reasons for the difference in sensitivity towards stimulation with FSH are so far not known. The need for adjusting the FSH dose over the course of time during the stimulation phase in order to give rise to a sufficient number of oocytes without provoking an overstimulation represents a major problem in IVF treatment. The clinical picture of differences in the sensitivity towards FSH in patients undergoing assisted reproduction procedure was the starting point for our investigation in which we tested the hypothesis that different FSH receptor variants are responsible for the differences in FSH sensitivity.

We have screened 160 patients from our IVF department and could show that patients bearing the homozygous FSH receptor variant alanine 307/serine 680 need significantly more FSH for the stimulation of oocyte maturation than the patients with the homozygous FSH receptor variant threonine 307/asparagine 680. It became further obvious that in patients with a heterozygous state of FSH receptor variants an intermediate dose of FSH was necessary for ovulation induction (Fig. 2). Moreover, the receptor variants seem to regulate the basal serum levels of FSH since patients bearing the homozygous FSH receptor variant alanine 307/serine 680 show a mean basal FSH level of 7.9 IU/l, while in patients with a heterozygous receptor variant and in patients homozygous for the FSH receptor variant threonine 307/asparagine 680 the mean basal FSH level is 7.0 IU/l and 6.3 IU/l, respectively (Fig. 3).

Thus, it was found that the response of patients towards the stimulation with FSH is depending on the allelic variant of the FSH receptor. In order to determine which particular variant of the FSH receptor is present in a given patient a simple analysis of DNA extracted from blood cells has to be conducted. The individual amount of FSH to be administered could be determined according to which FSH receptor variant the patient possesses. Due to these findings it can be expected that in the future the genetic analysis of the FSH receptor region determining the variant will play an

important role for the planning of ovulation induction treatment. In other words, it was found that the FSH receptor variants determine differences in sensitivity towards FSH. This finding has a great impact on the FSH therapy in the course of an assisted reproduction procedure since it makes a predetermined and individually adjusted FSH stimulation protocol possible depending on the FSH receptor variant present in a given patient. The potential benefits of such an adjusted FSH stimulation therapy are profound. This approach will not only improve the clinical safety, by avoiding dangerous overstimulation with FSH, but will also help to reduce treatment costs significantly, since FSH is quite expensive.

Finally, FSH receptor variants may be associated with reduced fertility in men and women and that the analysis of such variants may have great impact on the treatment of reduced fertility with FSH.

The invention thus provides

(1) a method for determining, i.e., predicting the dosage of follicle-stimulating hormone (FSH) in the treatment of infertility of women comprising the determination of the FSH receptor variant of the woman to be treated;

(2) a method for treating infertility in women which comprises determining the FSH receptor variant in the woman to be treated as defined in (1) above;

(3) a kit for performing the determination of the FSH receptor variant in a woman as defined in (1) and (2) above; and

(4) a FSH preparation comprising a specific amount of FSH which is suitable as a daily dosage for high dosage, intermediate dosage or low dosage FSH treatment.

The attached Figures 1 to 6 depict the following:

Fig. 1 shows the two FSH receptor variants.

Fig. 2 shows the number of FSH ampoules (75 IU/ampoule) required to achieve ovulation induction and oocyte retrieval in normoovulatory women in an assisted reproduction programme.

(data: mean \pm SEM)

* $p < 0.05$ vs A/A (Kruskall Wallis test)

Fig. 3 shows the basal FSH levels (day 3) in normoovulatory women grouped according to the FSH receptor genotype.

(data: mean \pm SEM)

* $p < 0.05$ vs A/A (Kruskall Wallis test)

Fig. 4 shows the restriction fragment length polymorphism of Asn 680 Ser of the FSH receptor.

Fig. 5 shows the DNA sequence of exon 10 of the FSH receptor gene (EMBL accession No. X91747).

Fig. 6 shows exon 10 of the FSH receptor. Suitable primers are underlined. The reverse primers A₂-G₂ are complementary to the respective underlined sequences in this figure.

The method (1) of the invention is hereinafter described in more detail. First of all, the determination of the FSH receptor variant is preferably performed *in vitro*.

Secondly, since the polymorphic sites are genetically coupled in the FSH receptor variants, the sequence analysis of one variant site is sufficient. It is preferred that the analysis is performed by the "restriction fragment length polymorphism" (RFLP) method. The first step of said method is the isolation of genomic DNA from a patient's blood sample and the amplification of a specific part of the FSH receptor by PCR. The amplicon obtained in the PCR is cut with a restriction enzyme which specifically recognizes the amino acid sequence at position 680, e.g. Bsr I. A complete restriction of the amplicon indicates the presence of a homozygous serine, in the case of an incomplete restriction a heterozygous receptor status is present and no restriction of the amplicon indicates a homozygous asparagine (Fig. 4). Suitable primers for the PCR reaction are shown in Fig. 6.

The determination of the variant may also be performed by the "single stranded conformation polymorphism" (SSCP) method and/or by the "allele specific amplification" method. The RFLP, SSCP and "allele specific amplification" methods are generally known in the art (e.g. from Oldenburg, M.C. and Siebert, M., New Cleavage Fragment Length Polymorphism method improves the mutation detection assay, Biotechniques, Feb. (2000), 28(2):351 and Shi, M. M. et al., Technologies for detecting genetic polymorphisms in pharmacogenomics, Mol. Diagn. Dec. (1999), 4(4):343-51), which we hereby incorporate by reference.

The detection of a single nucleotide change leading to an amino acid exchange is ideally suited for the development of a specific kit which would make the detection of the FSH receptor variants easy and fast. Such a kit would ideally be used for the screening of patients prior to a FSH therapy.

In the FSH therapy and after determination of the FSH receptor, the women bearing the homozygous FSH receptor variant Ala307/Ser680 may be given a high dosage of FSH, namely about 42-48 ampoules FSH within a treatment period of 14 days, which corresponds to a daily dosage of greater than 225, preferably 230 to 250 International Units (IU) FSH; the women bearing the homozygous FSH receptor variant Thr307/Asn680 may be given a low dosage of FSH, namely 30-35 ampoules FSH per 14 days, which corresponds to a daily dosage of 150 ± 20 IU FSH; and the women with a heterozygous state may be given an intermediate dosage of FSH, namely about 36 to 41 ampoules per day, which corresponds to a daily dosage of 200 ± 20 IU FSH. The FSH is preferably administered subcutaneously.

The FSH preparation of embodiment (4) of the invention contains the high dosage, intermediate dosage or a low dosage FSH as set forth in detail above. The preparation is preferably in an injectable form and may contain suitable additives (such as buffers, saline, etc.) known in the art.

The invention is further illustrated by the following non-limitative example.

Example 1: Determination of the restriction fragment length polymorphism (Asn680Ser, hFSH receptor)

5

A. PCR: Amplification with primers E₁ and G₂ (Exon 10 of the FSH receptor)

For each sample is pipetted:

36 µl autoclaved distilled water

10 5 µl Thermo-Buffer 10x (Promega)

3 µl MgCl₂ (25 mM, Promega)

2.5 µl dNTP-solution (1mM, Pharmacia)

1 µl Primer E₁ (0.1 µg/µl; 5'-CCTTGTGCTAATGTCCTGG)

1 µl Primer G₂ (0.1 µg/µl; 5'-TGTAGAAGCACTGTCAGCTC)

15 0.5 µl Taq DNA polymerase (5000 IU/ml, Promega)

1 µl DNA (DNA extracted from 5-10 ml and dissolved in 50 µl distilled water)

PCR program:

94°C 4 min 1 cycle

20

94°C 1 min

58°C 30 s 35 cycles

72°C 50 s

25 72°C 10 min 1 cycle

30°C 30 min

The PCR product is checked on a 2% TAE agarose gel. The size of the desired band is 580 kbp.

30 Subsequently a phenol-chloroform cleaning is performed twice, the resulting DNA is precipitated with 0.5 sample volumes 7.5 M ammonium acetate and 2.5 volumes ab-

solute ethanol, washed with 70% ethanol and air-dried. Finally, the DNA is re-dissolved in 17 µl water.

B. Digestion:

5

2 µl buffer NEB 3 10x (Biolabs) and

1 µl Bsr I (Biolabs) are added to the sample, the resulting mixture is overlaid with 2 drops of mineral oil and digested for 1.5 hours at 65°C. The digestion is checked on a 2-2.5% TAE agarose gel.

10

The enzyme Bsr I has a restriction site for TGACC. If the FSH receptor contains the amino acid serin at position 680 of the 5th transmembrane domain, Bsr I cuts the PCR product in two bands (443 and 136 bp). The enzyme cannot digest the PCR product if the amino acid at position 680 is asparagin. The single band on the gel has a size of 579 bp (see Fig. 4).

15

C. Results:

One band size 579 bp	→	asparagin, homozygous
Two band sizes 443 and 136 bp	→	serin, homozygous
Three band sizes 579, 443 and 136 bp	→	asparagin/serin heterozygous

20

Example 2: We started a prospective study which women were screened for the FSH receptor variant before starting the FSH treatment. Only women with homozygous FSH receptor variant at position 680 were included in the study and were randomized to receive a pre-determined, fixed dosage of FSH. The preliminary results, based on 32 cycles, confirm that the Ser 680 variant is less sensitive to FSH stimulation (in terms of production of estradiol) and that more FSH is necessary to induce the degree of stimulation observed in women with the Asn 680 variant.

25

30

These results reinforce the idea that the analysis of the FSH receptor variant is useful for the determination of the FSH dosage.

CLAIMS:

1. Method for determining the dosage of follicle-stimulating hormone (FSH) in the
5 treatment of infertility of women comprising the determination of the FSH receptor variant of the woman to be treated.
2. The method of claim 1, wherein the determination of the FSH receptor variant comprises the steps:
 - 10 (a) isolating genomic DNA from a blood sample of the woman to be treated, and
 - (b) determining whether the isolated DNA codes for the FSH-receptor variant Ala 307/Ser 680 or Thr 307/Asn 680.
3. The method of claim 2, wherein the determination of the FSH-receptor variant of
15 step (b) is performed by
 - (b1) partial amplification of the FSH receptor DNA by use of a pair of primers flanking the variant region(s) of the FSH receptor DNA coding for the amino acids 307 and/or 680 of the FSH receptor protein,
 - (b2) digesting the amplified DNA with a restriction enzyme digesting only the DNA of
20 one of the FSH receptor variants,
 - (b3) determining the FSH-receptor variant by restriction fragment length-polymorphism.
4. The method of claim 3, wherein the length of the primers is 12 to 30 nucleotides,
25 preferably 17 to 25 nucleotides, and the distance to the nucleotides coding for the amino acid in positions 307 or 680 are 20 to 1500 bp, preferably 100 to 1000 bp.
5. The method of claim 3 or 4, wherein the primers are flanking the DNA sequence of the amino acid in position 680 of the FSH receptor protein and the restriction enzyme
30 is Bsr I.

6. The method of claims 3 to 5, wherein the pair of primers comprises an upstream primer selected from

A₁: 5'-GCTATACTGGATCTGAGATG

B₁: 5'-TTGACATGACGTACACTGAG

5 C₁: 5'-CTGATCTCTGCATTGGAATC

D₁: 5'-AGCTGGACTGCAAGGTGCAG

E₁: 5'-CCTTGTGCTCAATGTCCTGG

F₁: 5'-CCATTTCTGCCTCCCTCAAG

G₁: 5'-GAGCAAGTGTGGCTGCTATG,

10 and a reverse primer selected from

A₂: 5'-ACCACTTCATTGCATAAGTC

B₂: 5'-CAACTGATGCAATGAGCAGC

C₂: 5'-ATCCAGCCCATCACCATGAC

D₂: 5'-GGTTCCGCACTGTGAGGTAG

15 E₂: 5'-GCTTTGGACACAGTGATGAG

F₂: 5'-TGGATGGGTGTTGTGGACAG

G₂: 5'-TGTAGAAGCACTGTCAGCTC,

preferably the pair of primers is E₁ and G₂ as defined above.

20 7. A method for treating infertility in women which comprises determining the FSH receptor variant in the woman to be treated as defined in claims 1 to 6.

8. The method of claim 7, further comprising administering the woman a suitable amount of FSH.

25

9. A kit for performing the determination of the FSH receptor variant in a woman as defined in claims 1 to 8.

10. The kit of claim 9 comprising a pair of primers as defined in claims 3-6, Taq polymerase and a restriction enzyme.

30

11. A FSH preparation comprising a specific amount of FSH which is suitable as a daily dosage for high dosage, intermediate dosage or low dosage FSH treatment.

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

tctagctctg	agcttcatcc	aatttgcaac	aaatctat	taaggcaaga	agttgattat	60
atgactcaga	ctaggggtca	gagatcctct	ctggcagaag	acaatgagtc	cagctacagc	120
agaggatttg	acatgacgta	cactgagttt	gactatgact	tatgcaatga	agtgggtgac	180
gtgacctgct	cccctaagcc	agatgcattc	aacccatgtg	aagatatcat	ggggtacaac	240
atcctcagag	tcctgatatg	gtttatcagc	atcctggcca	tcactgggaa	catcatagtg	300
ctagtgatcc	taactaccag	ccaatataaa	ctcacagtcc	ccaggttcct	tatgtgcaac	360
ctggcctttg	ctgatctctg	cattggaatc	tacctgctgc	tcattgcatc	agttgatatc	420
cataccaaga	gccaatatca	caactatgcc	attgactggc	aaactggggc	aggctgtgat	480
gctgctggct	ttttcactgt	ctttgccagt	gagctgtcag	tctacactcc	gacagctatc	540
accttggaag	gatggcatac	catcacgcat	gccatgcagc	tggactgcaa	ggtgcagctc	600
cgccatgctg	ccagtgtcat	ggtgatgggc	tggatttttg	cttttgagc	tgcctctttt	660
cccattcttg	gcatcagcag	ctacatgaag	gtgagcatct	gcctgcccac	ggatattgac	720
agccctttgt	cacagctgta	tgtcatgtcc	ctccttgtgc	tcaatgtcct	ggcctttgtg	780
gtcatctgtg	gctgctatat	ccacatctac	ctcacagtgc	ggaaccccaa	catcgtgtcc	840
tcctctagtg	acaccaggtc	gccaaagcga	tggccatgct	catcttcact	gacttcctct	900
gcatggcacc	catttccttc	tttgccattt	ctgcctccct	caaggtgccc	ctcatcactg	960
tgtccaaagc	aaagattctg	ctggttctgt	ttcaccccat	caactcctgt	gccaaacctt	1020
tcctctatgc	catctttacc	aaaaactttc	gcagagattt	cttcattctg	ctgagcaagt	1080
gtggctgcta	tgaaatgcaa	gcccaaattt	ataggacaga	aacttcatcc	actgtccaca	1140
acacccatcc	aaggaatggc	cactgctctt	cagctcccag	agtcaccagt	ggttccacta	1200
acatacttgt	ccctctaagt	catttagccc	aaaactaaaa	cac		1243

6/7

Fig. 6

TCTCAGGAAGAACTCATCATTTCTACCTGCACAAAGACAG
A1
+855 TGATGTATTGCTATACTGGATCTGAGATGTTGATTCTATTTCTTTTGTATTTTCTAGC
+856 TCTGAGCTTCATCCAATTTGCAACAAATCTATTTTAAGGCAAGAAGTTGATTATATGACT
EX-10 S E L H P I C N K S I L R Q E V D Y M T
+916 CAGACTAGGGGTCAGAGATCCTCTCTGGCAGAAGACAATGAGTCCAGCTACAGCAGAGGA
Q T R G Q R S S L A E D N E S S Y S R G
B1 A2
976 TTTGACATGACGTACACTGAGTTTGACTATGACTTATGCAATGAAGTGGTTGACGTGACC
F D M T Y T E F D Y D L C N E V V D V T
1036 TGCTCCCTAAGCCAGATGCATTCAACCCATGTGAAGATATCATGGGGTACAACATCCTC
C S P K P D A F N P C E D I M G Y N I L
1096 AGAGTCCTGATATGGTTTATCAGCATCCTGGCCATCACTGGGAACATCATAGTGCTAGTG
R V L I W F I S I L A I T G N I I V L V
1156 ATCCTAACTACCAGCCAATATAAACTCACAGTCCCCAGGTTCTTATGTGCAACCTGGCC
I L T T S Q Y K L T V P R F L M C N L A
C1 B2
1216 TTTGCTGATCTCTGCATTGGAATCTACCTGCTGCTCATTGCATCAGTTGATATCCATACC
F A D L C I G I Y L L L I A S V D I H T
1276 AAGAGCCAATATCACAACATGCCATTGACTGGCAAACCTGGGGCAGGCTGTGATGCTGCT
K S Q Y H N Y A I D W Q T G A G C D A A
1336 GGCTTTTTTCACTGTCTTTGCCAGTGAGCTGTGAGTCTACACTCTGACAGCTATCACCTTG
G F F T V F A S E L S V Y T L T A I T L
D1
1396 GAAAGATGGCATACCATCACGCATGCCATGCAGCTGGACTGCAAGGTGCAGCTCCGCCAT
E R W H T I T H A M Q L D C K V Q L R H
C2
1456 GCTGCCAGTGTGATGGTGATGGGCTGGATTTTTGCTTTTGCAGCTGCCCTCTTTCCCATC
A A S V M V M G W I F A F A A A L F P I
1516 TTTGGCATCAGCAGCTACATGAAGGTGAGCATCTGCCTGCCCATGGATATTGACAGCCCT
F G I S S Y M K V S I C L P M D I D S P
E1
1576 TTGTCACAGCTGTATGTCATGTCCCTCCTTGCTCAATGTCCTGGCCTTTGTGGTCATC
L S Q L Y V M S L L V L N V L A F V V I
D2
1636 TGTGGCTGCTATATCCACATCTACCTCACAGTGCAGCAACCCCAACATCGTGTCTCTCTCT
C G C Y I H I Y L T V R N P N I V S S S
1696 AGTGACACCAGGATCGCCAAGCGCATGGCCATGCTCATCTTCACTGACTTCCTCTGCATG
S D T R I A K R M A M L I F T D F L C M
F1 E2
1756 GCACCCATTTCTTTCTTTGCCATTTCTGCCTCCCTCAAGGTGCCCTCATCACTGTGTCC
A P I S F F A I S A S L K V P L I T V S

7/7

Fig. 6 (continued)

1816 AAAGCAAAGATTCTGCTGGTTCTGTTTCACCCCATCAACTCCTGTGCCAACCCCTTCCTC
K A K I L L V L F H P I N S C A N P F L
G1

1876 TATGCCATCTTTACCAAAAACTTTCGCAGAGATTTCATTCTGCTGAGCAAGTGTGGC
Y A I F T K N F R R D F F I L L S K C G
F2

1936 TGCTATGAAATGCAAGCCCAAATTTATAGGACAGAACTTCATCCACTGTCCACAACACC
C Y E M Q A Q I Y R T E T S S T V H N T

1996 CATCCAAGGAATGGCCACTGCTCTTCAGCTCCCAGAGTCACCAGTGGTTCCACTTACATA
H P R N G H C S S A P R V T S G S T Y I

2056 CTTGTCCTCTAAGTCATTTAGCCCCAAAACATAAACACAATGTGAAAATGTATCTGAGTA
L V P L S H L A Q N END

2116 TTGAATGATAAATTCAGTCCTTGCCTTTGAAGGGTATGTCACAAGGAGCTGACAGTGCTT
G2

2166 CTACACATTTTCATCTAATTTAATATT

SEQUENCE LISTING

5 <110> GROMOLL, Jörg
NIESCHLAG, Eberhard
SIMONI, Manuela
BEHRE, Herrmann M
PEREZ, Maritza

10 <120> Genetic Variants of the Human FSH Receptor and the
Influence Thereof on Gametogenesis

<130> 003235wo/JH/ml

15 <140>
<141>

<160> 19

20 <170> PatentIn Ver. 2.1

<210> 1
<211> 19
<212> DNA
25 <213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: primer

30 <400> 1
ccttgctgcta atgtcctgg 19

35 <210> 2
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
40 <223> Description of Artificial Sequence: primer

<400> 2
tgtagaagca ctgtcagctc 20

45 <210> 3
<211> 20
<212> DNA
<213> Artificial Sequence

50 <220>
<223> Description of Artificial Sequence: primer

<400> 3
55 gctatactgg atctgagatg 20

<210> 4
60 <211> 20
<212> DNA

<213> Artificial Sequence

<220>

5 <223> Description of Artificial Sequence: primer

<400> 4
ttgacatgac gtacactgag 20

10 <210> 5
<211> 20
<212> DNA
<213> Artificial Sequence

15 <220>

<223> Description of Artificial Sequence: primer

20 <400> 5
ctgatctctg cattggaatc 20

<210> 6
<211> 20
<212> DNA

25 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

30 <400> 6
agctggactg caaggtgcag 20

<210> 7
<211> 20
<212> DNA

35 <213> Artificial Sequence

<220>

40 <223> Description of Artificial Sequence: primer

<400> 7
ccttgtgctc aatgtcctgg 20

45 <210> 8
<211> 20
<212> DNA

50 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

55 <400> 8
ccattttctgc ctccctcaag 20

<210> 9
<211> 20
<212> DNA

60

<213> Artificial Sequence

<220>

5 <223> Description of Artificial Sequence: primer

<400> 9
gagcaagtgt ggctgctatg 20

10 <210> 10
<211> 20
<212> DNA
<213> Artificial Sequence

15 <220>
<223> Description of Artificial Sequence: primer

20 <400> 10
accacttcac tgcataagtc 20

25 <210> 11
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: primer

30 <400> 11
caactgatgc aatgagcagc 20

35 <210> 12
<211> 20
<212> DNA
<213> Artificial Sequence

40 <220>
<223> Description of Artificial Sequence: primer

<400> 12
atccagccca tcacatgac 20

45 <210> 13
<211> 20
<212> DNA
<213> Artificial Sequence

50 <220>
<223> Description of Artificial Sequence: primer

55 <400> 13
ggttccgcac tgtgaggtag 20

60 <210> 14
<211> 20
<212> DNA

<213> Artificial Sequence

<220>

5 <223> Description of Artificial Sequence: primer

<400> 14

gctttggaca cagtgatgag

20

10 <210> 15

<211> 20

<212> DNA

<213> Artificial Sequence

15 <220>

<223> Description of Artificial Sequence: primer

<400> 15

tggtatgggtg ttgtggacag

20

20

<210> 16

<211> 20

<212> DNA

25 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

30 <400> 16

tgtagaagca ctgtcagctc

20

<210> 17

35 <211> 1243

<212> DNA

<213> Homo sapiens

<300>

40

<400> 17

tctagctctg agcttcatcc aatttgcaac aaatctatth taaggcaaga agttgattat 60
atgactcaga ctagggtgca gagatcctct ctggcagaag acaatgagtc cagctacagc 120
45 agaggatttg acatgacgta cactgagttt gactatgact tatgcaatga agtggttgac 180
gtgacctgct cccctaagcc agatgcattc aaccatgtg aagatatcat ggggtacaac 240
atcctcagag tcttgatgatg gtttatcagc atcctggcca tcaactgggaa catcatagt 300
ctagtgatcc taactaccag ccaatataaa ctacagtc ccaggttcct tatgtgcaac 360
ctggcctttg ctgatctctg cattggaatc tacctgctgc tcattgcac agttgatatc 420
50 cataccaaga gccaatatca caactatgcc attgactggc aaactggggc aggctgtgat 480
gctgctggct ttttactgt ctttgccagt gagctgtcag tctacactcc gacagctatc 540
accttggaag gatggcatac catcacgcac gccatgcagc tggactgcaa ggtgcagctc 600
cgccatgtcg ccagtgtcat ggtgatgggc ttgatttttg cttttgcagc tggcctcttt 660
cccacttttg gcatcagcag ctacatgaag gtgagcatct gcctgccccat ggatattgac 720
55 agccctttgt cacagctgta tgtcatgtcc ctccctgtgc tcaatgtcct ggcctttgtg 780
gtcatctgtg gctgctatat ccacatctac ctacagtc ggaaccccaa catcgtgtcc 840
tctctagt acaccagggt gccaaagcga tggccatgct catcttact gacttccctc 900
gcatggcacc catttctttc tttgccattt ctgcctccct caaggtgccc ctcatcactg 960
tgtccaaagc aaagattctg ctggttctgt ttcaccccat caactcctgt gccaacccct 1020
tctctatgc catctttacc aaaaactttc gcagagattt cttcattctg ctgagcaagt 1080
60 gtggctgcta tgaaatgcaa gcccaaattt ataggacaga aacttcatcc actgtccaca 1140

acacccatcc aaggaatggc cactgctctt cagctcccag agtcaccagt gggtccacta 1200
 acatacttgt ccctctaagt catttagccc aaaactaaaa cac 1243

5 <210> 18
 <211> 1450
 <212> DNA
 <213> Homo sapiens

10 <220>
 <221> CDS
 <222> (104)..(1333)

<400> 18

15 tctcaggaag aaactcatca ttctctaccc tgcacaaaga cagtgatgta ttgctatact 60
 ggatctgaga tggtgattct atttcttttt gtatttttct agc tct gag ctt cat 115
 Ser Glu Leu His
 1

20 cca att tgc aac aaa tct att tta agg caa gaa gtt gat tat atg act 163
 Pro Ile Cys Asn Lys Ser Ile Leu Arg Gln Glu Val Asp Tyr Met Thr
 5 10 15 20

25 cag act agg ggt cag aga tcc tct ctg gca gaa gac aat gag tcc agc 211
 Gln Thr Arg Gly Gln Arg Ser Ser Leu Ala Glu Asp Asn Glu Ser Ser
 25 30 35

30 tac agc aga gga ttt gac atg acg tac act gag ttt gac tat gac tta 259
 Tyr Ser Arg Gly Phe Asp Met Thr Tyr Thr Glu Phe Asp Tyr Asp Leu
 40 45 50

35 tgc aat gaa gtg gtt gac gtg acc tgc tcc cct aag cca gat gca ttc 307
 Cys Asn Glu Val Val Asp Val Thr Cys Ser Pro Lys Pro Asp Ala Phe
 55 60 65

40 aac cca tgt gaa gat atc atg ggg tac aac atc ctc aga gtc ctg ata 355
 Asn Pro Cys Glu Asp Ile Met Gly Tyr Asn Ile Leu Arg Val Leu Ile
 70 75 80

45 tgg ttt atc agc atc ctg gcc atc act ggg aac atc ata gtg cta gtg 403
 Trp Phe Ile Ser Ile Leu Ala Ile Thr Gly Asn Ile Ile Val Leu Val
 85 90 95 100

50 atc cta act acc agc caa tat aaa ctc aca gtc ccc agg ttc ctt atg 451
 Ile Leu Thr Thr Ser Gln Tyr Lys Leu Thr Val Pro Arg Phe Leu Met
 105 110 115

55 tgc aac ctg gcc ttt gct gat ctc tgc att gga atc tac ctg ctg ctc 499
 Cys Asn Leu Ala Phe Ala Asp Leu Cys Ile Gly Ile Tyr Leu Leu Leu
 120 125 130

60 att gca tca gtt gat atc cat acc aag agc caa tat cac aac tat gcc 547
 Ile Ala Ser Val Asp Ile His Thr Lys Ser Gln Tyr His Asn Tyr Ala
 135 140 145

att gac tgg caa act ggg gca ggc tgt gat gct gct ggc ttt ttc act 595
 Ile Asp Trp Gln Thr Gly Ala Gly Cys Asp Ala Ala Gly Phe Phe Thr
 150 155 160

	gtc	ttt	gcc	agt	gag	ctg	tca	gtc	tac	act	ctg	aca	gct	atc	acc	ttg	643
	Val	Phe	Ala	Ser	Glu	Leu	Ser	Val	Tyr	Thr	Leu	Thr	Ala	Ile	Thr	Leu	
	165					170					175					180	
5	gaa	aga	tgg	cat	acc	atc	acg	cat	gcc	atg	cag	ctg	gac	tgc	aag	gtg	691
	Glu	Arg	Trp	His	Thr	Ile	Thr	His	Ala	Met	Gln	Leu	Asp	Cys	Lys	Val	
					185					190					195		
10	cag	ctc	cgc	cat	gct	gcc	agt	gtc	atg	gtg	atg	ggc	tgg	att	ttt	gct	739
	Gln	Leu	Arg	His	Ala	Ala	Ser	Val	Met	Val	Met	Gly	Trp	Ile	Phe	Ala	
				200					205					210			
15	ttt	gca	gct	gcc	ctc	ttt	ccc	atc	ttt	ggc	atc	agc	agc	tac	atg	aag	787
	Phe	Ala	Ala	Ala	Leu	Phe	Pro	Ile	Phe	Gly	Ile	Ser	Ser	Tyr	Met	Lys	
			215					220					225				
20	gtg	agc	atc	tgc	ctg	ccc	atg	gat	att	gac	agc	cct	ttg	tca	cag	ctg	835
	Val	Ser	Ile	Cys	Leu	Pro	Met	Asp	Ile	Asp	Ser	Pro	Leu	Ser	Gln	Leu	
		230					235					240					
25	tat	gtc	atg	tcc	ctc	ctt	gtg	ctc	aat	gtc	ctg	gcc	ttt	gtg	gtc	atc	883
	Tyr	Val	Met	Ser	Leu	Leu	Val	Leu	Asn	Val	Leu	Ala	Phe	Val	Val	Ile	
	245					250					255					260	
30	tgt	ggc	tgc	tat	atc	cac	atc	tac	ctc	aca	gtg	cgg	aac	ccc	aac	atc	931
	Cys	Gly	Cys	Tyr	Ile	His	Ile	Tyr	Leu	Thr	Val	Arg	Asn	Pro	Asn	Ile	
					265					270					275		
35	gtg	tcc	tcc	tct	agt	gac	acc	agg	atc	gcc	aag	cgc	atg	gcc	atg	ctc	979
	Val	Ser	Ser	Ser	Ser	Asp	Thr	Arg	Ile	Ala	Lys	Arg	Met	Ala	Met	Leu	
				280					285					290			
40	atc	ttc	act	gac	ttc	ctc	tgc	atg	gca	ccc	att	tct	ttc	ttt	gcc	att	1027
	Ile	Phe	Thr	Asp	Phe	Leu	Cys	Met	Ala	Pro	Ile	Ser	Phe	Phe	Ala	Ile	
			295					300					305				
45	tct	gcc	tcc	ctc	aag	gtg	ccc	ctc	atc	act	gtg	tcc	aaa	gca	aag	att	1075
	Ser	Ala	Ser	Leu	Lys	Val	Pro	Leu	Ile	Thr	Val	Ser	Lys	Ala	Lys	Ile	
		310					315					320					
50	ctg	ctg	gtt	ctg	ttt	cac	ccc	atc	aac	tcc	tgt	gcc	aac	ccc	ttc	ctc	1123
	Leu	Leu	Val	Leu	Phe	His	Pro	Ile	Asn	Ser	Cys	Ala	Asn	Pro	Phe	Leu	
	325					330					335					340	
55	tat	gcc	atc	ttt	acc	aaa	aac	ttt	cgc	aga	gat	ttc	ttc	att	ctg	ctg	1171
	Tyr	Ala	Ile	Phe	Thr	Lys	Asn	Phe	Arg	Arg	Asp	Phe	Phe	Ile	Leu	Leu	
					345					350					355		
60	agc	aag	tgt	ggc	tgc	tat	gaa	atg	caa	gcc	caa	att	tat	agg	aca	gaa	1219
	Ser	Lys	Cys	Gly	Cys	Tyr	Glu	Met	Gln	Ala	Gln	Ile	Tyr	Arg	Thr	Glu	
				360				365					370				
65	act	tca	tcc	act	gtc	cac	aac	acc	cat	cca	agg	aat	ggc	cac	tgc	tct	1267
	Thr	Ser	Ser	Thr	Val	His	Asn	Thr	His	Pro	Arg	Asn	Gly	His	Cys	Ser	
			375					380					385				
70	tca	gct	ccc	aga	gtc	acc	agt	ggg	tcc	act	tac	ata	ctt	gtc	cct	cta	1315
	Ser	Ala	Pro	Arg	Val	Thr	Ser	Gly	Ser	Thr	Tyr	Ile	Leu	Val	Pro	Leu	

390

395

400

agc cat tta gcc caa aac taaaacacaa tgtgaaaatg tatctgagta 1363
 Ser His Leu Ala Gln Asn
 405 410

ttgaatgata aattcagtc ttgcctttga agggatatgtc acaaggagct gacagtgcctt 1423
 ctacacattt tcatctaatt taatatt 1450

<210> 19
 <211> 410
 <212> PRT
 <213> Homo sapiens

<400> 19
 Ser Glu Leu His Pro Ile Cys Asn Lys Ser Ile Leu Arg Gln Glu Val
 1 5 10 15

Asp Tyr Met Thr Gln Thr Arg Gly Gln Arg Ser Ser Leu Ala Glu Asp
 20 25 30

Asn Glu Ser Ser Tyr Ser Arg Gly Phe Asp Met Thr Tyr Thr Glu Phe
 35 40 45

Asp Tyr Asp Leu Cys Asn Glu Val Val Asp Val Thr Cys Ser Pro Lys
 50 55 60

Pro Asp Ala Phe Asn Pro Cys Glu Asp Ile Met Gly Tyr Asn Ile Leu
 65 70 75 80

Arg Val Leu Ile Trp Phe Ile Ser Ile Leu Ala Ile Thr Gly Asn Ile
 85 90 95

Ile Val Leu Val Ile Leu Thr Thr Ser Gln Tyr Lys Leu Thr Val Pro
 100 105 110

Arg Phe Leu Met Cys Asn Leu Ala Phe Ala Asp Leu Cys Ile Gly Ile
 115 120 125

Tyr Leu Leu Leu Ile Ala Ser Val Asp Ile His Thr Lys Ser Gln Tyr
 130 135 140

His Asn Tyr Ala Ile Asp Trp Gln Thr Gly Ala Gly Cys Asp Ala Ala
 145 150 155 160

Gly Phe Phe Thr Val Phe Ala Ser Glu Leu Ser Val Tyr Thr Leu Thr
 165 170 175

Ala Ile Thr Leu Glu Arg Trp His Thr Ile Thr His Ala Met Gln Leu
 180 185 190

Asp Cys Lys Val Gln Leu Arg His Ala Ala Ser Val Met Val Met Gly
 195 200 205

Trp Ile Phe Ala Phe Ala Ala Ala Leu Phe Pro Ile Phe Gly Ile Ser
 210 215 220

	Ser	Tyr	Met	Lys	Val	Ser	Ile	Cys	Leu	Pro	Met	Asp	Ile	Asp	Ser	Pro
	225					230					235					240
5	Leu	Ser	Gln	Leu	Tyr	Val	Met	Ser	Leu	Leu	Val	Leu	Asn	Val	Leu	Ala
					245					250						255
	Phe	Val	Val	Ile	Cys	Gly	Cys	Tyr	Ile	His	Ile	Tyr	Leu	Thr	Val	Arg
				260					265					270		
10	Asn	Pro	Asn	Ile	Val	Ser	Ser	Ser	Ser	Asp	Thr	Arg	Ile	Ala	Lys	Arg
			275						280				285			
	Met	Ala	Met	Leu	Ile	Phe	Thr	Asp	Phe	Leu	Cys	Met	Ala	Pro	Ile	Ser
15		290					295					300				
	Phe	Phe	Ala	Ile	Ser	Ala	Ser	Leu	Lys	Val	Pro	Leu	Ile	Thr	Val	Ser
	305					310					315					320
20	Lys	Ala	Lys	Ile	Leu	Leu	Val	Leu	Phe	His	Pro	Ile	Asn	Ser	Cys	Ala
					325					330					335	
	Asn	Pro	Phe	Leu	Tyr	Ala	Ile	Phe	Thr	Lys	Asn	Phe	Arg	Arg	Asp	Phe
				340					345					350		
25	Phe	Ile	Leu	Leu	Ser	Lys	Cys	Gly	Cys	Tyr	Glu	Met	Gln	Ala	Gln	Ile
			355					360					365			
	Tyr	Arg	Thr	Glu	Thr	Ser	Ser	Thr	Val	His	Asn	Thr	His	Pro	Arg	Asn
30		370					375					380				
	Gly	His	Cys	Ser	Ser	Ala	Pro	Arg	Val	Thr	Ser	Gly	Ser	Thr	Tyr	Ile
	385					390					395					400
35	Leu	Val	Pro	Leu	Ser	His	Leu	Ala	Gln	Asn						
					405					410						